



# ACCESSORIES

HEADENDS

## COMMUNICATION BUS BETWEEN MODULES

APPLICATION	MOD.	REF.
For LPU 800	USB 800	83811



## COMMUNICATION BUS BETWEEN FRAMES

APPLICATION	MOD.	REF.
For LPU 800	USB 801	83812



## 120 OHMS USB LOAD

APPLICATION	MOD.	REF.
8000 Series	CU 120	83813



## CONTROL UNIT

Universal control unit designed for programming 8000 series modules.  
Packing dimensions: 460 x180 x140 mm

APPLICATION	MOD.	REF.
8000 series & MicroMATV Evo	UCF 300	85115



## POWER BUS

APPLICATION	MOD.	REF.
7 modules + power supply	BA 807	83807



## RF BRIDGE

Rigid 75 Ohm coaxial bridge.

APPLICATION	MOD.	REF.
8000 series	PMD 800	83814





# ACCESSORIES FOR WALL MOUNTING

## VENTILATED HOUSING

Designed for wall mounting. Includes all necessary accessories. Ventilation unit and 3 power socket. With safety lock.  
 Dimensions: 515 x 250 x 370 mm.  
 Weight: 6,9 Kg.

APPLICATION	MOD.	REF.
7 modules + power supply	CFR 807	83806



## FRAME

Designed for installation and protection of the 8000 series headend. Includes all necessary accessories for wall mounting.  
 Dimensions: 450 x 15 x 170 mm.  
 Depth with modules: 200 mm.

APPLICATION	MOD.	REF.
7 modules + power supply	BST 807	83805



## 19" RACK VENTILATION UNIT

Designed for installation on BST 807 frame.  
 Dimensions: 160 x 135 x 50 mm.  
 Supply voltage: 230 V / 200 mA.  
 Weight: 0,8 Kg.

APPLICATION	MOD.	REF.
Frame without housing	VNT 800	83818



# ACCESSORIES FOR RACK 19" MOUNTING

## 19" RACK FRAME

Designed for mounting the 8000 series modules on 19" rack.  
 Dimensions: 485 x 185 x 265 mm.

APPLICATION	MOD.	REF.
7 modules + power supply	BSR 807	83800



## VENTILATION UNIT

Designed for installation on 19" rack.  
 Dimensions: 485 x 285 x 45 mm.  
 Supply voltage: 230V / 200 mA.

APPLICATION	MOD.	REF.
19" rack	VNT 807	83801



## 19" RACK ADJUSTMENT PLATES ON

CAM 08: for module.  
 CAF 08: for power supply.

APPLICATION	MOD.	REF.
19" rack	CAM 08	83802
	CAF 08	83804

CAM 08



CAF 08



HEADENDS



# ACCESSORIES

HEADENDS

## 19" RACK BLIND COVERS

CC 08: for module.  
CC FR: for redundant power supply.

APPLICATION	MOD.	REF.
19" rack frame	CC 08	83803
	CC FR 08	83816

CC 08



CC FR 08



## PASSAGE COVER BETWEEN FRAMES

APPLICATION	MOD.	REF.
19" rack frame	CP 08	83817



## POWER SUPPLY BUS

Provides power between frames.

APPLICATION	MOD.	REF.
19" rack	BF 800	83810



# APPLICATION EXAMPLES

**Example**

